

Author Index


- Ahmad, T A, El-Dakour, S M & El-Zahar, C R. Growth and survival of the grouper *Epinephelus coioides* (Hamilton) at different loading rates in tanks, 603
- Ahmed, F A *see* Khan, M M R
- Ali, F & Nakamura, K. Metabolic characteristics of the Japanese clam *Ruditapes philippinarum* (Adams & Reeve) during aerial exposure, 157
- Alongi, D M, Johnston, D J & Xuan, T T. Carbon and nitrogen budgets in shrimp ponds of extensive mixed shrimp-mangrove forestry farms in the Mekong delta, Vietnam, 387
- Anderson, M R *see* Thlusty, M F
- Andrade, J P *see* Domingues, P M
- Appleyard, S A & Mather, P B. Investigation into the mode of inheritance of allozyme and random amplified polymorphic DNA markers in tilapia *Oreochromis mossambicus* (Peters), 435
- de Araujo, A B, Snell, T W & Hagiwara, A. Effect of unionized ammonia, viscosity and protozoan contamination on the enzyme activity of the rotifer *Brachionus plicatilis*, 359
- Arredondo-Figuero, J L *see* Rodríguez-Serna, M
- Audet, C *see* Ben Khemis, I
- Baars, H C A *see* Tanck, M W T
- Babbitt, J K *see* Sugiura, S H
- Babiak, I, Brzuska, E & Perkowski, J. Fractional factorial design of screening experiments on cryopreservation of fish sperm, 273
- de Barniol, L *see* Jiménez, R
- Barniol, R *see* Jiménez, R
- Barrias, C & Oliva-Teles, A. The use of locally produced fish meal and other dietary manipulations in practical diets for rainbow trout *Oncorhynchus mykiss* (Walbaum), 213
- Beddow, T A *see* Cooke, S J
- Ben Khemis, I, de la Noue, J & Audet, C. Feeding larvae of winter flounder *Pseudopleuronectes americanus* (Walbaum) with live prey or microencapsulated diet: linear growth and protein, RNA and DNA content, 377
- Benzie, J A H. Population genetic structure in penaeid prawns, 95
- Bhatnagar, A. *see* Garg, S K
- Billard, R *see* Suquet, M
- Billard, R, Cosson, J & Linhart, O. Changes in the flagellum morphology of intact and frozen/thawed Siberian sturgeon *Acipenser baerii* (Brandt) sperm during motility, 283
- Björn, P A *see* Finstad, B
- Blanc, J M, Vallée, F & Dorson, M. Survival, growth and dressing traits of triploid hybrids between rainbow trout and three charr species, 349
- Blancheton, J-P *see* Pagand, P
- Boer, H *see* García-Ortega, A
- Boey, P-L *see* Ng, W-K
- Borlongan, I G *see* Emata, A C
- Boxshall, G *see* Costello, M J
- Boyce, D L *see* Purchase, C F
- Branson, E J, Rønsberg, S S & Ritchie, G. Efficacy of teflubenzuron (Calicide®) for the treatment of sea lice, *Lepeophtheirus salmonis* (Krøyer, 1838), infestations of farmed Atlantic salmon (*Salmo salar* L.), 861
- Brown, J A *see* Purchase, C F
- Brown, M R & McCausland, M A. Increasing the growth of juvenile Pacific oysters *Crassostrea gigas* by supplementary feeding with microalgal and dried diets, 671
- Brzuska, E *see* Babiak, I
- Brzuska, E. Artificial spawning of carp *Cyprinus carpio* L.: differences between the effects on reproduction in females of Polish and Hungarian provenance treated with carp pituitary and (D-Ala⁶) GnRH ProNHet (Kobarelin), 457
- Carmona-Osalde, C *see* Rodríguez-Serna, M
- Carrick, T R *see* Pottinger, T G
- Casellas, C *see* Pagand, P
- Chaitanawisuti, N & Kritsanapuntu, A. Growth and production of hatchery-reared juvenile spotted babylon *Babylonia areolata* Link 1807 cultured to marketable size in intensive flowthrough and semi-closed recirculating water systems, 415
- Chandroo, K P *see* Cooke, S J
- Charles, B S *see* El-Saidy, D M S D
- Chavez-Sanchez, M C *see* Sangha, R S
- Cho, G K & Heath, D D. Comparison of tricaine methanesulphonate (MS222) and clove oil anaesthesia effects on the physiology of juvenile chinook salmon *Oncorhynchus tshawytscha* (Walbaum), 537
- Cho, S H *see* Lee, S-M
- Ciereszko, A *see* Glogowski, J
- Coimbra, J. *see* Fontainhas-Fernandes, A
- Collins, R A *see* Gunasekera, R M
- Cooke, S J, Chandroo, K P, Beddow, T A, Moccia, R D & McKinley, R S. Swimming activity and energetic expenditure of captive rainbow trout *Oncorhynchus mykiss* (Walbaum) estimated by electromyogram telemetry, 495
- Cosson, J *see* Billard, R
- Cosson, J *see* Suquet, M
- Costa, A P R *see* Muratori, M C S
- Costelloe, J *see* Nolan, D T
- Cross, T F. Genetic implications of translocation and stocking of fish species, with particular reference to Western Australia, 83
- Cruz, E M *see* Ridha, M T
- D'Souza, F M L, Lecossois, D, Heasman, M P, Diemar, J A, Jackson, C J & Pendrey, R C. Evaluation of centrifuged microalgae concentrates as diets for *Penaeus monodon* Fabricius larvae, 661

- Dabrowski, K *see* El-Saidy, D M S D
 Dabrowski, K *see* Glogowski, J
 Damaso, J P *see* Emata, A C
 Dan, N C & Little, D C. Overwintering performance of Nile tilapia *Oreochromis niloticus* (L.) broodfish and seed at ambient temperatures in northern Vietnam, 485
 Davies, I M & Rodger, G K. A review of the use of ivermectin as a treatment for sea lice [*Lepeophtheirus salmonis* (Kroyer) and *Caligus elongatus* Nordmann] infestation in farmed Atlantic salmon (*Salmo salar* L.), 869
 Davis, G P & Hetzel, D J S. Integrating molecular genetic technology with traditional approaches for genetic improvement in aquaculture species, 3
 De Silva, S S *see* Gunasekera, R M
 De Silva, S S, Gunasekera, R M & Gooley, G. Digestibility and amino acid availability of three protein-rich ingredient-incorporated diets by Murray cod *Maccullochella peelii peelii* (Mitchell) and the Australian shortfin eel *Anguilla australis* Richardson, 195
 Deng, D F *see* Hemre, G I
 Diemar, J A *see* D'Souza, F M L
 Diemar, J *see* Heasman, M
 Dobosz, S *see* Glogowski, J
 Domingues, P M, Fores, R, Turk, P E, Lee, P G & Andrade, J P. Mysid culture: lowering costs with alternative diets, 719
 Dong, F M *see* Sugiura, S H
 Doroudi, M S & Southgate, P C. The influence of algal ration and larval density on growth and survival of blacklip pearl oyster *Pinctada margaritifera* (L.) larvae, 621
 Dorson, M *see* Blanc, J M
 Doupe, R G & Lymbery, A J. Managing translocations of aquatic species, 151
 Doupe, R G *see* Lymbery, A J J
 Dreanno, C *see* Suquet, M
 Einarsdóttir, I E, Nilssen, K J & Iversen, M. Effects of rearing stress on Atlantic salmon (*Salmo salar* L.) antibody response to a non-pathogenic antigen, 923
 El-Dakour, S M *see* Ahmad, T A
 Elliott, N G. Genetic improvement programmes in abalone: what is the future?, 51
 El-Saidy, D M S D, Dabrowski, K & Charles, B S. Nutritional effects of protein source in starter diets for channel catfish (*Ictalurus punctatus* Rafinesque) in sub-optimal water temperature, 885
 El-Zahar, C R *see* Ahmad, T A
 Emata, A C *see* Garcia, L M B
 Emata, A C, Borlongan, I G & Damaso, J P. Dietary vitamin C and E supplementation and reproduction of milkfish *Chanos chanos* Forsskal, 557
 English, L J *see* Ward, R D
 Fauvel, C *see* Suquet, M
 Fenerich-Verani, N *see* Sato, Y
 Finstad, B *see* Staurnes, M
 Finstad, B, Bjørn, P A, Grimnes, A & Hvidsten, N A. Laboratory and field investigations of salmon lice [*Lepeophtheirus salmonis* (Kroyer)] infestation on Atlantic salmon (*Salmo salar* L.) post-smolts, 795
 Fontainhas-Fernandes, A, Monteiro, M, Gomes, E, Reis-Henriques, M A & Coimbra, J. Effect of dietary sodium chloride acclimation on growth and on plasma thyroid hormones in tilapia *Oreochromis niloticus* (L.) in relation to sex, 507
 Forbin, I *see* Nguenga, D
 Fores, R *see* Domingues, P M
 Foulkes, L *see* Heasman, M
 Gallardo, W G, Hagiwara, A & Snell, T W. GABA enhances reproduction of the rotifer *Brachionus plicatilis* Muller: application to mass culture, 713
 Garcia, L M B, Hilomen-Garcia, G V & Emata, A C. Survival of captive milkfish *Chanos chanos* Forsskal broodstock subjected to handling and transport, 575
 Garcia-Ortega, A, Koussoulaki, A, Boer, H & Verreth, J. *In vitro* protein digestibility of *Artemia* decapsulated cysts and nauplii, and of microbound diets for larval fish, 475
 Garg, S K & Bhatnagar, A. Effect of fertilization frequency on pond productivity and fish biomass in still water ponds stocked with *Cirrhinus mrigala* (Ham.), 409
 Giri, S S, Sahoo, S K, Sahu, A K & Mukhopadhyay, P K. Growth, feed utilization and carcass composition of *Clarius batrachus* (Linn.) fingerlings fed on dried fish and chicken viscera incorporated diets, 767
 Gjerdem, T. Genetic improvement of cold-water fish species, 25
 Glennon, K *see* Nolan, D V
 Glogowski, J, Kwasnik, M, Piros, B, Dabrowski, K, Goryczko, K, Dobosz, S, Kuzminski, H & Ciereszko, A. Characterization of rainbow trout milt collected with a catheter: semen parameters and cryopreservation success, 289
 Godinho, H P *see* Sato, Y
 Gomes, E *see* Fontainhas-Fernandes, A
 Gooley, G *see* De Silva, S S
 Gooley, G *see* Gunasekera, R M
 Goryczko, K *see* Glogowski, J
 Grant, A *see* Treasurer, J M
 Grimnes, A *see* Finstad, B
 Gunasekera, R M *see* De Silva, S S
 Gunasekera, R M, De Silva, S S, Collins, R A, Gooley, G & Ingram, B A. Effect of dietary protein level on growth and food utilization in juvenile Murray cod *Maccullochella peelii peelii* (Mitchell), 181
 Guo, J Y *see* Mu, Y Y
 Gwo, J-C. Cryopreservation of aquatic invertebrate semen: a review, 259
 Hagiwara, A *see* de Araujo, A B
 Hagiwara, A *see* Gallardo, W G
 Hamre, K *see* Lygren, B
 Hardy, R W *see* Kissil, G W m
 Hardy, R W *see* Scolari, M
 Hardy, R W *see* Sugiura, S H
 Hargreaves, J A *see* Owusu-Frimpong, M
 Haugum, G *see* Minchin, D
 Heasman, M P *see* D'Souza, F M L
 Heasman, M P *see* O'Connor, W A
 Heasman, M, Diemar, J, O'Connor, W, Sushames, T & Foulkes, L. Development of extended shelf-life

- microalgae concentrate diets harvested by centrifugation for bivalve molluscs – a summary, 637
- Heath, D D *see* Cho, G K
- Hecht, T *see* Oellermann, L K
- van der Heijden, Y *see* Nolan, D T Hemre, G I, Shiau, S Y, Deng, D F, Storebakken, T & Hung, S S O. Utilization of hydrolysed potato starch by juvenile Atlantic salmon *Salmo salar* L., when using a restricted feeding regime, 207
- Hetzel, D J S *see* Davis, G P
- Heuch, P A, Nordhagen, J R & Schram, T A. Egg production in the salmon louse [*Lepeophtheirus salmonis* (Krøyer)] in relation to origin and water temperature, 805
- Hickman, R W. Use of premature New Zealand dredge oyster *Tiostrea lutaria* Hutton larvae for spat production, 529
- Higgs, D A *see* Kissil, G Wm
- Hilomen-Garcia, G V *see* Garcia, L M B
- Horváth, Á & Urbányi, B. The effect of cryoprotectants on the motility and fertilizing capacity of cryopreserved African catfish *Clarias gariepinus* (Burchell 1822) sperm, 317
- Hung, S S O *see* Hemre, G I
- Hvidsten, N A *see* Finstad, B
- Imsland, A K *see* Jonassen, T M
- Ingram, B A *see* Gunasekera, R M
- Ishikawa, M *see* Teshima, S
- Iversen, M *see* Einarsdóttir, I E
- Jackson, C J *see* D'Souza, F M L
- Jenkins, G *see* Lymbery, A J
- Jiménez, R, Barniol, R, de Barniol, L, Machuca, M & Romero, X. Viral-like particles associated with cuticular epithelium necrosis in cultured *Litopenaeus vannamei* (Decapoda: Crustacea) in Ecuador, 519
- Johnson, M S. Measuring and interpreting genetic structure to minimize the genetic risks of translocations, 133
- Johnston, D J *see* Alongi, D M
- Jonassen, T M, Imsland, A K, Kadowaki, S & Stefansson, S O. Interaction of temperature and photoperiod on growth of Atlantic halibut *Hippoglossus hippoglossus* L., 219
- Jones, C M, McPhee, C P & Ruscoe, I M. A review of genetic improvement in growth rate in redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda: Parastacidae), 61
- Jones, D A *see* Sangha, R S
- Jongebloed, W J *see* Rawson, D M
- Kadowaki, S *see* Jonassen, T M
- Kalicharan, D *see* Rawson, D M
- Karayücel, I *see* Karayücel, S
- Karayücel, S & Karayücel, I. Effect of environmental factors, depth and position on the growth and mortality of raft cultured blue mussels (*Mytilus edulis* L.), 893
- Keenan, C P. Should we allow human-induced migration of the Indo-West Pacific fish, barramundi *Lates calcarifer* (Bloch) within Australia?, 121
- Kelly, Y *see* Nolan, D V
- Khan, M M R, Mollah, M & Ahmed, F A. Mass production of hybrid magur and its culture potential in Bangladesh, 467
- Khan, S *see* Ono, K
- Kim, D-J *see* Lee, S-M
- Kissil, G Wm, Lupatsch, I, Higgs, D A & Hardy, R W. Dietary substitution of soy and rapeseed protein concentrates for fish meal, and their effects on growth and nutrient utilization in gilthead seabream *Sparus aurata* L., 595
- Knibb, W. Genetic improvement of marine fish – which method for industry?, 11
- Kohlmann, K *see* Tanck, M W T
- Komen, J *see* Tanck, M W T
- Koshio, S *see* Teshima, S
- Koussoulaki, A *see* Garcia-Ortega, A
- Kritsanapuntu, A *see* Chaitanawisuti, N
- Kuzminski, H *see* Glogowski, J
- Kwasnik, M *see* Glogowski, J
- Lahnsteiner, F. Semen cryopreservation in the Salmonidae and in the Northern pike, 245
- Lall, S P *see* Pustowka, C
- Lam, T J *see* Mu, Y Y
- Lawrence, C S & Morrissy, N M. Genetic improvement of marron *Cherax tenuimanus* Smith and yabbies *Cherax* spp. in Western Australia, 69
- Lecossais, D *see* D'Souza, F M L
- Lee, P G *see* Domingues, P M
- Lee, S-M, Cho, S H & Kim, D-J. Effects of feeding frequency and dietary energy level on growth and body composition of juvenile flounder, *Paralichthys olivaceus* (Temminck & Schlegel), 917
- Leite, R C *see* Muratori, M C S
- Lemoalle, J *see* Pagand, P
- Leung, P S *see* Sharma, K R
- Linhart, O *see* Billard, R
- Little, D C *see* Dan, N C
- López, C *see* Scolari, M
- Lupatsch, I *see* Kissil, G Wm
- Luzzana, U *see* Scolari, M
- Lygren, B, Hamre, K & Waagbø, R. Effect of induced hyperoxia on the antioxidant status of Atlantic salmon *Salmo salar* L. fed three different levels of dietary vitamin E, 401
- Lymbery, A J *see* Doupe, R G
- Lymbery, A J. Genetic improvement in the Australian aquaculture industry, 145
- Lymbery, A, Doupe, R G, Jenkins, G & Thorne, T. Genetics in the aquaculture industry, 1
- Lyndon, A R & Toovey, J P G. Does the Aquasmart™ feeding system reduce sea louse [*Lepeophtheirus salmonis* (Krøyer)] infestation on farmed Atlantic salmon (*Salmo salar* L.) in winter?, 843
- Machuca, M *see* Jiménez, R
- Magallón, F *see* Ocampo, L
- Maguire, G B *see* Ward, R D
- Martin, S A M *see* Nolan, D V
- Mather, P B *see* Appleyard, S A
- McCausland, M A *see* Brown, M R
- McCormack, G P *see* Nolan, D V

- McFadden, Y *see* Tully, O
 McGoldrick, D J *see* Ward, R D
 McKinley, R S *see* Cooke, S J
 McNiven, M A *see* Pustowka, C
 McNiven, M A *see* Richardson, G F
 McPhee, C C *see* Nell, J A
 McPhee, C P *see* Jones, C M
 Mentasti, T *see* Scolari, M
 Miller, T L *see* Richardson, G F
 Minchin, D, Skjaeggstad, H, Haugum, G & Strand, Ø.
 Righting and recessing ability of wild and naive
 cultivated scallops, 473
 Moccia, R D *see* Cooke, S J
 Mollah, M *see* Khan, M M R
 Monteforte, M & Morales-Mulia, S. *Growth and survival of
 the Calafia mother-of-pearl oyster Pinctada mazatlanica*
 (Hanley 1856) under different sequences of nursery
 culture-late culture at Bahía de La Paz, Baja California
 Sur, Mexico, 901
 Monteiro, M *see* Fontainhas-Fernandes, A
 Morales-Mulia, S *see* Monteforte, M
 Moretti, V M *see* Scolari, M
 Morrissey, N M *see* Lawrence, C S
 Mu, Y Y, Lam, T J, Guo, J Y & Shim, K F. Protein
 digestibility and amino acids availability of several
 protein sources for juvenile Chinese hairy crab
Eriocheir sinensis H. Milne-Edwards (Decapoda,
 Grapsidae), 757
 Mukhopadhyay, P K *see* Giri, S S
 Muratori, M C S, de Oliveira, A L, Ribeiro, L P, Leite, R C,
 Costa, A P R & da Silva, M C C. *Edwardsiella tarda*
 isolated in integrated fish farming, 481
 Nakamura, K *see* Ali, F
 Nell, J A *see* Ward, R D
 Nell, J A, Smith, I R & McPhee, C C. The Sydney rock oyster
Saccostrea glomerata (Gould 1850) breeding programme:
 progress and goals, 45
 Nell, J A. Live feeds and microparticulate diets, 619
 Ng, W-K, Tee, M-C & Boey, P-L. Evaluation of crude palm
 oil and refined palm olein as dietary lipids in pelleted
 feeds for a tropical bagrid catfish *Mystus memurus*
 (Cuvier & Valenciennes), 337
 Nguenga, D, Forbin, I, Teugels, G G & Ollevier, F. Predation
 capacity of tadpoles (*Bufo regularis*) using African catfish
Heterobranchus longifilis larvae: impact of prey
 characteristics on vulnerability to predation, 931
 Nguenga, D, Teugels, G G & Ollevier, F. Fertilization,
 hatching, survival and growth rates in reciprocal crosses
 of two strains of an African catfish *Heterobranchus*
longifilis Valenciennes 1840 under controlled hatchery
 conditions, 565
 Nilssen, K J *see* Einarsdóttir, I E
 Nolan, D *see* Poole, W R
 Nolan, D T, Ruane, N M, van der Heijden, Y, Quabius, E S,
 Costelloe, J & Wendelaar Bonga, S E. Juvenile
Lepeophtheirus salmonis (Krøyer) affect the skin
 and gills of rainbow trout *Oncorhynchus mykiss*
 (Walbaum) and the host response to a handling
 procedure, 823
 Nolan, D V, Martin, S A M, Kelly, Y, Glennon, K, Palmer,
 R, Smith, T, McCormack, G P & Powell, R. Development
 of microsatellite PCR typing methodology for the sea
 louse, *Lepeophtheirus salmonis* (Krøyer), 815
 Nordhagen, J R *see* Heuch, P A
 de la Noue, J *see* Ben Khemis, I
 O'Connor, S J *see* O'Connor, W A
 O'Connor, W A, Heasman, M P & O'Connor, S J. Algal diets
 for broodstock maintenance of the doughboy scallop
Minachlamys asperima (Lamarck), 627
 O'Connor, W *see* Heasman, M
 Ocampo, L, Villarreal, H, Vargas, M, Portillo, G &
 Magallón, F. Effect of dissolved oxygen and
 temperature on growth, survival and body composition
 of juvenile *Farfantepenaeus californiensis* (Holmes), 167
 Oellermann, L K & Hecht, T. Comparison of the fillet yield,
 protein content and amino acid profile of *Clarias*
gariepinus and the *Clarias gariepinus* × *Heterobranchus*
longifilis hybrid, 553
 Oliva-Teles, A *see* Barrias, C
 Ollevier, F *see* Nguenga, D
 de Oliveira, A L *see* Muratori, M C S
 Olvera-Novoa, M A *see* Rodríguez-Serna, M
 Ono, K, Khan, S & Onoue, Y. Effects of temperature and
 light intensity on the growth and toxicity of *Heterosigma*
akashiwo (Raphidophyceae), 427
 Onoue, Y *see* Ono, K
 Owusu-Frimpong, M & Hargreaves, J A. Incidence of
 conjoined twins in tilapia after thermal shock induction
 of polyploidy, 421
 Pagand, P, Blancheton, J-P, Lemoalle, J & Casellas, C. The
 use of high rate algal ponds for the treatment of marine
 effluent from a recirculating fish rearing system, 729
 Palmer, R *see* Nolan, D V
 Pedrozo, F L *see* Temporetti, P F
 Pendrey, R C *see* D'souza, F M L
 Pepper, V A *see* Tlustý, M F
 Perkowski, J *see* Babiak, I
 Piro, B *see* Glogowski, J
 Pit, J H & Southgate, P C. When should pearl oyster,
Pinctada margaritifera (L.), spat be transferred from the
 hatchery to the ocean?, 773
 Poole, W R, Nolan, D & Tully, O. Modelling the effects of
 capture and sea lice [*Lepeophtheirus salmonis* (Krøyer)]
 infestation on the cortisol stress response in trout, 835
 Portillo, G *see* Ocampo, L
 Pottinger, T G & Carrick, T R. Indicators of reproductive
 performance in rainbow trout *Oncorhynchus mykiss*
 (Walbaum), selected for high and low responsiveness
 to stress, 367
 Powell, R *see* Nolan, D V
 Puella Cruz, A C *see* Sangha, R S
 Purchase, C F, Boyce, D L & Brown, J A. Growth and
 survival of juvenile yellowtail flounder *Pleuronectes*
ferrugineus (Storer) under different photoperiods, 547
 Pustowka, C, McNiven, M A, Richardson, G F & Lall, S P.
 Source of dietary lipid affects sperm plasma membrane
 integrity and fertility in rainbow trout *Oncorhynchus*
mykiss (Walbaum) after cryopreservation, 297
 Quabius, E S *see* Nolan, D T
 Ronsberg, S S *see* Branson, E J

- Rawson, D M, Zhang, T, Kalicharan, D & Jongebloed, W J. Field emission scanning electron microscopy and transmission electron microscopy studies of the chorion, plasma membrane and syncytial layers of the gastrula-stage embryo of the zebrafish *Brachydanio rerio*: a consideration of the structural and functional relationships with respect to cryoprotectant penetration, 325
- Reis-Henriques, M A *see* Fontainhas-Fernandes, A
- Ribeiro, L P *see* Muratori, M C S
- Richardson, G F *see* Pustowska, C
- Richardson, G F, Miller, T L & Mcniven, M A. Cryopreservation of Arctic charr, *Salvelinus alpinus* (L.), semen in various extenders and in three sizes of straw, 307
- Ridha, M T & Cruz, E M. Effect of light intensity and photoperiod on Nile tilapia *Oreochromis niloticus* L. seed production, 609
- Ritchie, G *see* Branson, E J
- Rodger, G K *see* Davies, I M
- Rodríguez-Serna, M, Carmona-Osalde, C, Olvera-Novoa, M A & Arredondo-Figueroa, J L. Fecundity, egg development and growth of juvenile crayfish *Procambarus (Astrocambarus) llanasi* (Villalobos 1955) under laboratory conditions, 173
- Romero, X *see* Jiménez, R
- Ruane, N M *see* Nolan, D T
- Ruscoe, I M *see* Jones, C M
- Sahoo, S K *see* Giri, S S
- Sahu, A K *see* Giri, S S
- Sangha, R S, Puella Cruz, A C, Chavez-Sanchez, M C & Jones, D A. Survival and growth of *Litopenaeus vannamei* (Boone) larvae fed a single dose of live algae and artificial diets with supplements, 683
- Sato, Y, Fenerich-Verani, N, Verani, J R, Vieira, L J S & Godinho, H P. Induced reproductive responses of the neotropical anostomid fish *Leporinus elongatus* Val. under captive breeding, 189
- Schram, T A *see* Heuch, P A
- Scolari, M, Luzzana, U, Stefani, L, Mentasti, T, Moretti, V M, Valfre, F, López, C & Hardy, R W. Quantification of cholesterol oxidation products in commercial fish meals and their formation during storage, 785
- Sharma, K R & Leung, P S. Technical efficiency of carp production in India: a stochastic frontier production function analysis, 937
- Shiau, S Y *see* Hemre, G I
- Shim, K F *see* Mu, Y Y
- da Silva, M C C *see* Muratori, M C S
- Skjaeggstad, H *see* Minchin, D
- Smith, I R *see* Nell, J A
- Smith, T *see* Nolan, D V
- Snell, T W *see* de Araujo, A B
- Snell, T W *see* Gallardo, W G
- Snook, K *see* Tlusty, M F
- Southgate, P C *see* Doroudi, M S
- Southgate, P C *see* Pit, J H
- Stottrup, J G. The elusive copepods: their production and suitability in marine aquaculture, 703
- Staurnes, M & Finstad, B. The effects of dietary NaCl supplement on hypo-osmoregulatory ability and sea water performance of Arctic charr (*Salvelinus alpinus* L.) smolts, 737
- Stefani, L *see* Scolari, M
- Stefansson, S O *see* Jonassen, T M
- Storebakken, T *see* Hemre, G I
- Strand, A *see* Minchin, D
- Sugiura, S H, Babbitt, J K, Dong, F M & Hardy, R W. Utilization of fish and animal by-product meals in low-pollution feeds for rainbow trout *Oncorhynchus mykiss* (Walbaum), 585
- Suquet, M, Dreanno, C, Fauvel, C, Cosson, J & Billard, R. Cryopreservation of sperm in marine fish, 231
- Sushames, T *see* Heasman, M
- Tanck, M W T, Baars, H C A, Kohlmann, K, Van der Poel, J J & Komen, J. Genetic characterization of wild Dutch common carp (*Cyprinus carpio* L.), 779
- Tee, M-C *see* Ng, W-K
- Temporetti, P F & Pedrozo, F L. Phosphorus release rates from freshwater sediments affected by fish farming, 447
- Teshima, S, Ishikawa, M & Koshio, S. Nutritional assessment and feed intake of microparticulate diets in crustaceans and fish, 691
- Teugels, G G *see* Nguenga, D
- Thompson, P A *see* Ward, R D
- Thorne, T *see* Lymbery, A J
- Tlusty, M F, Snook, K, Pepper, V A & Anderson, M R. The potential for soluble and transport loss of particulate aquaculture wastes, 745
- Toovey, J P G *see* Lyndon, A R
- Treasurer, J M, Wadsworth, S & Grant, A. Resistance of sea lice, *Lepeophtheirus salmonis* (Krøyer), to hydrogen peroxide on farmed Atlantic salmon, *Salmo salar* L., 855
- Tully, O & McFadden, Y. Variation in sensitivity of sea lice [*Lepeophtheirus salmonis* (Krøyer)] to dichlorvos on Irish salmon farms in 1991–1992, 849
- Tully, O *see* Poole, W R
- Turk, P E *see* Domingues, P M
- Urbányi, B. *see* Horváth, Á
- Valfrè, F *see* Scolari, M
- Vallée, F *see* Blanc, J M
- Van der Poel, J J *see* Tanck, M W T
- Vargas, M *see* Ocampo, L
- Verani, J R *see* Sato, Y
- Verreth, J *see* García-Ortega, A
- Vieira, L J S *see* Sato, Y
- Villarreal, H *see* Ocampo, L
- Waagbø, R *see* Lygren, B
- Wadsworth, S *see* Treasurer, J M
- Ward, R D, English, L J, Mcgoldrick, D J, Maguire, G B, Nell, J A & Thompson, P A. Genetic improvement of the Pacific oyster *Crassostrea gigas* (Thunberg) in Australia, 35
- Wendelaar Bonga, S E *see* Nolan, D T
- Xuan, T T *see* Alongi, D M
- Zhang, T *see* Rawson, D M



Subject Index

- Abalone, Australian, genetic improvement programmes, 51
- Acipenser baerii* (Brøndt) see Sturgeon, Siberian
- Air exposure, metabolism of Japanese clam, 157
- Algae
- extended shelf-life concentrate diets, 637
 - H. akashiwo*, growth and toxicity, 427
 - high rate algal ponds and marine effluent, 729
 - live feed for Pacific white shrimp, 683
 - ration, growth and survival of pearl oyster, 621
 - scallop broodstock diets, 627
- Amino acids
- availability, for Chinese hairy crab, 757
 - availability, in protein-rich diets, 195
 - profile of African catfish hybrids, 553
- Ammonia toxicity, rotifer enzyme activity and, 359
- Anaesthesia, effects on physiology of chinook salmon, 537
- Anguilla australis* Richardson see Eel, shortfin
- Anostomid fish, reproduction of *L. elongatus*, 189
- Antibody response, in Atlantic salmon, 923
- Aquaculture waste, fate of, 745
- Aquasmart™ feeding system, 843
- Artemia* sp.
- in vitro digestibility of protein, 475
 - in lowering mysid culture costs, 719
- Australia
- genetic implications of translocation and stocking, 83
 - genetic improvement in aquaculture industry, 51, 83, 121, 145
 - marron and yabbies, 69
 - Pacific oyster, 35
 - Sydney rock oyster, 45
 - translocation of barramundi, 121
- Babylonia areolata* Link 1807 see Babylon, spotted
- Babylon, spotted, growth and production of, 415
- Bacteria, *E. tarda* in integrated fish farming, 481
- Bangladesh, mass production of hybrid magur, 467
- Barramundi, genetic impacts of translocation, 121
- Biomass, effects of pond fertilization frequency, 409
- Body composition
- catfish, and fish/chicken viscera diet, 767
 - F. californiensis*, effect of oxygen and temperature, 167
 - flounder, feeding frequency and dietary energy level, 917
- Brachionus plicatilis* see Rotifer
- Brachydanio rerio* see Zebrafish
- Breeding programme
- Australian abalone, 51
 - Sydney rock oyster, 45
- Bufo regularis*, predation capacity of tadpoles, 931
- Calicide[®], efficacy in salmon lice infestations, 861
- Caligus elongatus* Nordmann see Salmon lice
- Carbohydrates, starch utilization by Atlantic salmon, 207
- Carbon budgets in shrimp ponds, 387
- Carp
- common
 - factors in artificial spawning, 457
 - wild Dutch, genetic characterization, 779
- Indian major, effects of fertilization frequency in ponds, 409
- technical efficiency of production in India, 937
- Catfish
- African
 - cryoprotectants and cryopreserved sperm, 317
 - fillet yield, 553
 - hybrid, fillet yield, 553
 - hybrid, mass production, 467
 - hybrid, reproduction and growth, 565
 - predation by tadpoles, 931
 - channel, nutritional effects of protein source, 885
 - Indian, fish/chicken viscera diets, 767
 - magur (hybrid), mass production, 467
 - tropical bagrid, palm oil in diets, 337
- Chanos chanos* Forsskal see Milkfish
- Charr
- Arctic
 - cryopreservation of semen, 307
 - sodium chloride and hypo-osmoregulation, 737
 - farming rainbow x charr triploid hybrids, 349
- Cherax quadricarinatus* (von Martens) see Crayfish, redclaw
- Cherax* spp. see Yabbies
- Cherax tenuimanus* Smith see Marron
- Cholesterol, oxidation products in fish meals, 785
- Cirrhinus mrigala* (Ham.) see Carp, Indian major
- Clam, Japanese, metabolism under aerial exposure, 157
- Clarias batrachus* see Catfish, magur
- Clarias gariepinus* (Burchell) see Catfish, African
- Clove oil anaesthesia, effects on chinook salmon, 537
- Cod, Murray
- dietary protein requirements, 181
 - digestibility and amino acid availability of diets, 195
- Cold-water fish species
- genetic improvement of, 25
 - see also specific species
- Copepods, in marine aquaculture, 703
- Cost see Economics
- Crab, Chinese hairy, protein sources for, 757
- Crassostrea gigas* (Thunberg) see Oyster, Pacific
- Crayfish
- marron and yabbies, genetic improvement, 69
 - redclaw, genetic improvement in growth rate, 61
 - reproductive biology of juveniles, 173
- Crustaceans
- microparticulate diets and, 691
 - see also specific species
- Cryopreservation of gametes, 229
- aquatic invertebrate semen (review), 259
 - characterization of rainbow trout milt, 289
 - cryoprotectants, and African catfish sperm, 317
 - dietary lipid and rainbow trout sperm integrity, 297
 - EM studies of gastrula-stage zebrafish embryos, 325
 - flagella of frozen/thawed sturgeon sperm, 283
 - fractional factorial design of sperm screening studies, 273
 - semen of Arctic charr, 307
 - semen in Salmonidae and Northern pike, 245
 - sperm in marine fish, 231
- Cryoprotectants
- effect on African catfish sperm, 317
 - zebrafish embryos and, 325

Culture methods

- Califia mother-of-pearl oyster, 901
- hatchery-reared spotted babylon, 415
- high rate algal ponds and marine effluent, 729
- mass production of hybrid catfish, 467
- shrimp-mangrove farm ponds, 387
- technical efficiency of carp production, 937
- Cyprinus carpio* L. *see* Carp, common
- Dichlorvos, sensitivity of salmon lice, 849
- Diet
 - algae
 - centrifuged concentrates, 637, 661
 - extended shelf-life concentrates, 637
 - live feed for Pacific white shrimp, 683
 - ration for pearl oyster, 621
 - for scallop broodstock, 627
 - supplementary feeding of Pacific oyster, 671
 - amino acid availability, 195
 - Arctic charr, sodium chloride and hypo-osmoregulation, 737
 - Atlantic salmon
 - starch utilization, 207
 - vitamin E, hyperoxia and redox status, 401
 - carbohydrates, starch utilization by Atlantic salmon, 207
 - catfish
 - effects of protein source, 885
 - fish/chicken viscera, 767
 - palm oil and, 337
 - copepods in marine culture, 703
 - dried, supplementary feeding of Pacific oyster, 671
 - energy level, effects on growth of flounder, 917
 - fish/chicken viscera, for catfish, 767
 - fish meal
 - cholesterol oxidation products, 785
 - in practical diets for rainbow trout, 213
 - flounder
 - effects of energy level, 917
 - larval first feeding, 377
 - GABA in rotifer production, 713
 - lipids
 - palm oil in catfish diets, 337
 - rainbow trout sperm integrity and, 297
 - low-pollution feeds, 585
 - microparticulate, nutritional assessment and feed intake, 691
 - mollusc, microalgae concentrates, 637
 - Murray cod, digestibility and amino acid availability, 195
 - mysid, alternatives for lowering culture costs, 719
 - Nile tilapia, sodium chloride, growth and thyroid hormones, 507
 - Pacific oyster, supplementary microalgal and dried feed, 671
 - Pacific white shrimp, live algae and artificial diets, 683
 - pearl oyster, algal ration, 621
 - practical, dietary manipulation in, 213
 - prawn larvae, microalgae concentrates, 661
 - protein *see* Protein
 - rainbow trout
 - absorption of minerals in animal by-products, 585
 - dietary manipulation in practical diets, 213
 - effect of lipid on sperm integrity, 297
 - scallop, algal, for broodstock, 627
 - shortfin eel, digestibility and amino acid availability, 195
 - sodium chloride supplement

- Arctic charr, 737
- Nile tilapia, 507
- vitamin C and E, and milkfish reproduction, 557
- vitamin E, hyperoxia and redox status of Atlantic salmon, 401
- Digestibility of protein
 - for Chinese hairy crab, 757
 - in vitro*, for fish larvae, 475
 - in protein-rich diets, 195
- Dressing traits, triploid hybrids, rainbow trout x charr.
- Economics
 - lowering mysid culture costs, 719
 - technical efficiency of carp production, 937
- Ecuador, cuticular epithelium necrosis in shrimp, 519
- Edwardsiella tarda*, in integrated fish farming, 481
- Eel, shortfin, digestibility and amino acid availability of diets, 195
- Electromyogram telemetry, rainbow trout activity and energetics, 495
- Electron microscopy (EM), gastrula-stage zebrafish embryos, 325
- Embryos
 - conjoined twins in tilapia, 421
 - zebrafish, and cryopreservation, 325
- Epinephelus coioides* (Hamilton) *see* Grouper, orange-spotted
- Eriocheir sinensis* H. Milne-Edwards *see* Crab, Chinese hairy
- Esox lucius* *see* Pike, Northern
- Farfantepenaeus californiensis* (Holmes) *see* Shrimp
- Feeding
 - frequency, growth of flounder, 917
 - system (AquasmartTM), and salmon lice, 843
- Feed intake, assessment of microparticulate diets, 691
- Fertilization frequency, in fish culture ponds, 409
- Fillet yield, African catfish hybrid, 553
- Flounder
 - feeding frequency and dietary energy levels, 917
 - winter, larval first feeding, 377
 - yellowtail, growth and survival, 547
- Fractional factorial design, 273
- GABA, in enhanced production of rotifer, 713
- Genetic factors
 - characterization of wild Dutch common carp, 779
 - farming triploid hybrids, rainbow trout x charr, 349
 - improvement in aquaculture species, 1, 145
 - Australian abalone, 51
 - cold-water fish, 25
 - gene markers for breeding, 3
 - growth rate in redclaw crayfish, 61
 - implications of translocation and stocking, 83
 - marine fish, choice of approach, 11
 - marron and yabbies, 69
 - Pacific oyster, 35
 - Sydney rock oyster, 45
 - inheritance of genetic markers in tilapia, 435
 - population structure, penaeid prawns, 95
 - translocation
 - of barramundi, 121
 - implications of, 83
 - management of, 133, 151
- Grouper, orange-spotted, loading rates, growth and survival, 603
- Growth
 - Atlantic halibut, temperature and photoperiod, 219
 - blue mussel, environmental factors and, 893
 - Califia mother-of-pearl oyster, culture methods, 901

- catfish and fish/chicken viscera diet, 767
 crossbred African catfish, 565
 effect of oxygen and temperature, *F. californiensis*, 167
 flounder, feeding frequency and dietary energy level, 917
 genetic improvement of redclaw crayfish, 61
H. akashiwo, effects of light and temperature, 427
 juvenile crayfish, 173
 Murray cod, protein requirements, 181
 Nile tilapia, effects of sodium chloride, 507
 orange-spotted grouper, and loading rates, 603
 Pacific oyster, supplementary feeding of juveniles, 671
 Pacific white shrimp, artificial diets and live algae, 683
 pearl oyster, algal ration and larval density, 621
 protein requirements of Murray cod, 181
 redclaw crayfish, genetic improvement of rate, 61
 spotted babylon, hatchery-reared, 415
 triploid hybrids, rainbow trout x charr, 349
 yellowtail flounder, under different photoperiods, 547
- Halibut, Atlantic, temperature, photoperiod and growth, 219
 Heat shock, conjoined twins in tilapia, 421
Heterobranchius longifilis Valenciennes see Catfish, African
Heterosigma akashiwo, growth and toxicity, 427
Hippoglossus hippoglossus L. see Halibut, Atlantic
 Hydrogen peroxide, resistance of salmon lice, 855
 Hypo-osmoregulation, by Arctic charr, 737
- Ictalurus punctatus* Rafinesque see Catfish, channel
 Immune response, in Atlantic salmon, 923
 India, technical efficiency of carp production, 937
 Induced spawning
 anostomid fish *L. elongatus*, 189
 carp pituitary and Kobarelin, 457
 Invertebrate aquatic species
 cryopreservation of semen, 259
 see also specific species
 Ireland, sensitivity of salmon lice to dichlorvos, 849
 Ivermectin, treatment of salmon lice infestations, 869
- Kobarelin, in artificial spawning of carp, 457
- Larvae
 density, growth and survival of pearl oyster, 621
 first feeding in winter flounder, 377
 in vitro digestibility of protein, 475
Lates calcarifer (Bloch) see Barramundi
Lepeophtheirus salmonis (Krøsløsh:yer) see Salmon lice
Leporinus elongatus Val. see Anostomid fish
 Light intensity
 effect on seed production by Nile tilapia, 609
 effects on *H. akashiwo*, 427
 see also Photoperiod
- Lipids
 dietary, and rainbow trout sperm integrity, 297
 palm oil in catfish diets, 337
Litopenaeus vannamei (Boone) see Shrimp, Pacific white
 Loading rates, growth and survival of orange-spotted grouper, 603
- Maccullochella peelii peelii* (Mitchell) see Cod, Murray
 Mariculture
 copepods in, 703
 cryopreservation of sperm, 231
 genetic approaches in, 11
 high rate algal ponds and marine effluent, 729
 Marron, genetic improvement, 69
- Metabolism, Japanese clam, under aerial exposure, 157
Metapenaeus spp., population genetic structure, 95
 Microalgae see Algae
 Microsatellite PCR typing of salmon lice, 815
- Milkfish
 dietary vitamin C and E, and reproduction, 557
 survival, in handling and transport, 575
Mimachlamys asperima (Lamarck) see Scallop, doughboy
 Minerals, absorption by rainbow trout, 585
- Molluscs
 bivalve, microalgae concentrate diets, 637
 see also specific molluscs
- Mussel, blue, environmental factors and growth, 893
 Mysid, lowering culture costs with alternative diets, 719
Mystus nemurus (Cuvier & Valenciennes) see Catfish, tropical bagrid
Mytilus edulis L. see Mussel, blue
- Necrosis, cuticular epithelium, in shrimp, 519
 Netherlands, genetic characterization of wild common carp, 779
- Nitrogen budgets in shrimp ponds, 387
- Nutrition
 assessment of microparticulate diets, 691
 channel catfish, effect of protein source, 885
- Oncorhynchus mykiss* (Walbaum) see Trout, rainbow
Oncorhynchus tshawytscha (Walbaum) see Salmon, chinook
Oreochromis aureus (Steindachner) see Tilapia, blue
Oreochromis mossambicus (Peters) see Tilapia
Oreochromis niloticus (L.) see Tilapia, Nile
 Oxidation, cholesterol in fish meals, 785
- Oxygen concentration
 growth and survival of *F. californiensis* juveniles, 167
 vitamin E, hyperoxia and redox status in Atlantic salmon, 401
- Oyster
 Califia mother-of-pearl, culture methods, 901
 New Zealand dredge, use of premature larvae for spat production, 529
 Pacific
 genetic improvement of, 35
 supplementary feeding of juveniles, 671
 pearl
 growth and survival, 621
 transfer of spat from hatchery, 773
 Sydney rock, breeding programme, 45
- Palm oil, in catfish diets, 337
Paralichthys olivaceus (Temminck & Schlegel) see Flounder
 PCR typing, microsatellite, and salmon lice, 815
Pecten maximus (L.) see Scallop
- Penaeid shrimp
 growth and survival of *F. californiensis* juveniles, 167
 population genetic structure, 95
- Phosphorus, release rates from freshwater sediments, 447
- Photoperiod
 effect on growth of Atlantic halibut, 219
 effect on seed production by Nile tilapia, 609
 effects on growth and survival of yellowtail flounder, 547
- Pike, Northern, cryopreservation of semen, 245
Pinctada margaritifera (L.) see Oyster, pearl
Pinctada mazatlanica (Hanley 1856) see Oyster, Califia mother-of-pearl
 Pituitary extract, carp, in artificial spawning, 457
Pleuronectes ferrugineus (Storer) see Flounder, yellowtail
 Pond systems

- high rate algal (HRAP), and marine effluent, 729
 Indian major carp, and fertilization frequency, 409
 nutrient budget in shrimp-mangrove farms, 387
- Population structure**
 barramundi, 121
 interpreting, 83, 133
 penaeid prawns, 95
 translocation and, 83, 121, 133, 151
- Prawns**
 algal concentrates as diets for larvae, 661
 penaeid, population genetic structure, 95
- Predation, catfish larvae by tadpoles, 931**
- Procambarus (Austrocambarus) llamasii* (Villalobos 1955) *see* Crayfish
- Protein**
 content of African catfish hybrids, 553
 dietary requirements of Murray cod, 181
 digestibility and amino acid availability in diets, 195
 digestibility and sources for Chinese hairy crab, 757
 fish meal in practical diets for rainbow trout, 213
in vitro digestibility for fish larvae, 475
 nutritional effects of source on catfish, 885
 soy and rapeseed, in gilthead seabream diets, 595
- Protozoan contamination, rotifer enzyme activity and, 359**
- Pseudopleuronectes americanus* (Walbaum) *see* Flounder, winter
- Rapeseed protein, in gilthead seabream diets, 595**
- Reproductive performance**
 anostomid fish *L. elongatus*, 189
 crossbred African catfish, 565
 juvenile crayfish, 173
 milkfish, vitamin C and E and, 557
 stress responsiveness in rainbow trout, 367
- Rotifer**
 environmental stress and enzyme activity, 359
 GABA in enhanced production, 713
 in lowering mysid culture costs, 719
- Ruditapes philippinarum* (Adams & Reeve) *see* Clam, Japanese
- Saccostrea glomerata* (Gould 1850) *see* Oyster, Sydney rock
- Salmon**
 Atlantic
 rearing stress and antibody response, 923
 salmon lice egg production, 805
 salmon lice infestation, 795, 843, 855, 861, 869
 starch utilization, 207
 vitamin E, hyperoxia and redox status, 401
 chinook, effects of anaesthesia on physiology, 537
- Salmonids**
 cryopreservation of semen, 245
 phosphorus release rates and, 447
see also specific species
- Salmon lice**
 Aquasmart™ feeding system and, 843
 effects on rainbow trout, 823, 835
 efficacy of teflubenzuron, 861
 egg production, 805
 infestation of Atlantic salmon, 795, 843, 855, 861, 869
 microsatellite PCR typing, 815
 resistance to hydrogen peroxide, 855
 sensitivity to dichlorvos, 849
 use of ivermectin and, 869
- Salmo salar* L. *see* Salmon, Atlantic
- Salvelinus alpinus* (L.) *see* Charr, Arctic
- Scallop**
 doughboy, algal diets for broodstock, 627
 righting and recessing ability, 473
- Screening studies, cryopreservation of fish sperm, 273**
- Seabream, gilthead, soy and rapeseed protein in diets, 595**
- Sea lice *see* Salmon lice**
- Seasonal effects, overwintering performance of Nile tilapia, 485**
- Shrimp**
F. californiensis, growth and survival, 167
 nutrient budgets in shrimp-mangrove farm ponds, 387
 Pacific white
 artificial diets and live algae, 683
 cuticular epithelium necrosis, 519
- Sodium chloride supplement**
 Arctic charr and hypo-osmoregulation, 737
 growth and thyroid hormones in Nile tilapia, 507
- Soy protein, in gilthead seabream diets, 595**
- Sparus aurata* L. *see* Seabream, gilthead
- Spawning *see* Induced spawning**
- Sperm, cryopreservation, 229**
 African catfish, 317
 aquatic invertebrates, 259
 Arctic charr, 307
 design of screening experiments, 273
 marine fish, 231
 Northern pike, 245
 rainbow trout, 289, 297
 Salmonidae, 245
 Siberian sturgeon, 283
- Stochastic production frontier analysis, 937**
- Stocking**
 density, rainbow trout activity and energetics, 495
 genetic implications of, 83
- Stress**
 cortisol response in rainbow trout, 835
 environmental, and rotifer enzyme activity, 359
 rearing, antibody response in Atlantic salmon, 923
 responsiveness of rainbow trout, and reproduction, 367
- Sturgeon, Siberian, flagella of frozen/thawed sperm, 283**
- Survival**
 blue mussel, environmental factors and, 893
 Calafia mother-of-pearl oyster, culture methods, 901
 crossbred African catfish, 565
F. californiensis, effect of oxygen and temperature, 167
 milkfish, in handling and transport, 575
 orange-spotted grouper, and loading rates, 603
 Pacific white shrimp, artificial diets and live algae, 683
 pearl oyster, algal ration and larval density, 621
 triploid hybrids, rainbow trout x charr, 349
 yellowtail flounder, effect of photoperiods, 547
- Tadpoles, predation of catfish larvae, 931**
- Teflubenzuron, efficacy in salmon lice infestations, 861**
- Telemetry, rainbow trout activity and energetics, 495**
- Temperature**
 effect on growth of Atlantic halibut, 219
 effects on *H. akashiwo*, 427
 egg production by salmon lice, 805
 growth and survival of *F. californiensis* juveniles, 167
- Thyroid hormones, effects of sodium chloride on tilapia, 507**
- Tilapia**
 blue, conjoined twins in, 421
 Nile
 conjoined twins in, 421
 light intensity, photoperiod and seed production, 609
 overwintering performance, 485
 sodium chloride, growth and thyroid hormones, 507
O. mossambicus, inheritance of genetic markers, 435
- Tiostrea lutaria* Hutton *see* Oyster, New Zealand dredge

- Toad, predation capacity of tadpoles, 931
- Translocation *see* Genetic factors, translocation
- Transportation, effect on milkfish, 575
- Tricaine methanesulphonate (MS222), effects on chinook salmon, 537
- Trout
 - cryopreservation of semen, 245
 - rainbow
 - absorption of minerals in animal by-products, 585
 - activity and energetics, 495
 - characterization of milt, 289
 - cryopreservation of sperm, 245, 289, 297
 - dietary manipulation in practical diets, 213
 - effect of dietary lipid on sperm integrity, 297
 - effects of salmon lice, 823, 835
 - farming rainbow x charr triploid hybrids, 349
 - stress response in, 835
 - stress responsiveness and reproduction, 367
- Vietnam
 - nutrient budgets in shrimp ponds, 387
 - overwintering performance of Nile tilapia, 485
- Viral-like particles, cuticular epithelium necrosis in shrimp, 519
- Viscosity (seawater), and rotifer enzyme activity, 359
- Vitamin C, and milkfish reproduction, 557
- Vitamin E
 - hyperoxia and redox status in Atlantic salmon, 401
 - milkfish reproduction and, 557
- Waste, aquaculture, fate of, 745
- Yabbies, genetic improvement, 69
- Zebrafish, EM studies of cryopreserved embryos, 325

